Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 163

5 January to 5 February 1983

ACADEMIC PRESS
London New York San Francisco

Copyright © 1983, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 163

Number 1, 5 January 1983

Wickens, M. P. and Gurdon, J. B., Post-transcriptional Processing of Simian Virus 40 Late Transcripts in Injected Frog Oocytes 1

Brow, D. A. and Noller, H. F., Protection of Ribosomal RNA from Kethoxal in Polyribosomes. Implication of Specific Sites in Ribosomal Function 27

Alma, N. C. M., Harmsen, B. J. M., de Jong, E. A. M., Ven, J. V. D. and Hilbers, C. W., Fluorescence Studies of the Complex Formation Between the Gene *5* Protein of Bacteriophage M13 and Polynucleotides 47

Kuo, L. C., Fukuyama, J. M. and Makinen, M. W., Catalytic Conformation of Carboxypeptidase A. The Structure of a True Reaction Intermediate Stabilized at Subzero Temperatures 63

Appendix I 96

Appendix II 97

Chothia, C., Coiling of β-Pleated Sheets 107

Cornelius, P. A., Hochstrasser, R. M. and Steele, A. W., Ultrafast Relaxation in Picosecond Photolysis of Nitrosylhemoglobin 119

Kopka, M. L., Fratini, A. V., Drew, H. R. and Dickerson, R. E., Ordered Water Structure around a *B*-DNA Dodecamer. A Quantitative Study . 129

Number 2, 15 January 1983

Banfalvi, G. and Sarkar, N., Analysis of the 5′-Termini of Nascent DNA Chains Synthesized in Permeable Cells of *Bacillus subtilis* 147

Fitch, W. M., Random Sequences 171

Asselbergs, F. A. M., Mathews, M. B. and Smart, J. E., Structural Characterization of the Proteins Encoded by Adnovirus Early Region 2A · 177

Asselbergs, F. A. M., Smart, J. E. and Mathews, M. B., Analysis of Expression of Adenovirus DNA (Fragments) by Microinjection in *Xenopus* Oocytes. Independent Synthesis of Minor Early Region 2 Proteins 209

MARIMAN, E. C. M., VAN BEEK-REINDERS, R. J. and VAN VENROOIJ, W. J., Alternative Splicing Pathways Exist in the Formation of Adenoviral Late Messenger RNAs 239

POTEETE, A. R. and FENTON, A. C., DNA-binding Properties of the Erf Protein of Bacteriophage P22 257

SLOOF, P., MAAGDELIJN, A. and BOSWINKEL, E., Folding of Prokaryotic DNA. Isolation and Characterization of Nucleoids from *Bacillus licheniformis* 277

JAMES, M. N. G. and SIELECKI, A. R., Structure and Refinement of Penicillopepsin at 1·8 Å Resolution 299

NUMBER 3, 25 JANUARY 1983

LIPMAN, D. J. and WILBUR, W. J., Contextual Constraints on Synonymous Codon Choice 363

SEARLES, L. L., WESSLER, S. R. and CALVO, J. M., Transcription Attenuation is the Major Mechanism by which the *leu* Operon of *Salmonella typhimurium* is Controlled 377

RAIBAUD, O., DÉBARBOUILLÉ, M. and SCHWARTZ, M., Use of Deletions Created *in Vitro* to Map Transcriptional Regulatory Signals in the *malA* Region of *Escherichia coli* 395

KNAUER, V., HEGERL, R. and HOPPE, W., Three-dimensional Reconstruction and Averaging of 30 S Ribosomal Subunits of *Escherichia coli* from Electron Micrographs 409

OETTL, H., HEGERL, R. and HOPPE, W., Three-dimensional Reconstruction and Averaging of 50 S Ribosomal Subunits of *Escherichia coli* from Electron Micrographs 431

LEIFER, D. and HENDERSON, R., Three-dimensional Structure of Orthorhombic Purple Membrane at 6·5 Å Resolution 451

Appendix: Curve-fitting 464

SCHWARZ, G. and WATANABE, F., Thermodynamics and Kinetics of Cooperative Protein–Nucleic Acid Binding. I. General Aspects of Analysis of Data 467

WATANABE, F. and SCHWARZ, G., Thermodynamics and Kinetics of Cooperative Protein–Nucleic Acid Binding. II. Studies on the Binding Between Protamine and Calf Thymus DNA 485

LETTERS TO THE EDITOR

HAWLEY, R. S. and TARTOF, K. D., The Ribosomal DNA of *Drosophila melanogaster* is Organized Differently from that of *Drosophila hydei* 499

KNIGHT, D. M. and ECHOLS, H., The *c*III Gene and Protein of Bacteriophage λ 505

LEPAULT, J., DUBOCHET, J., DIETRICH, I., KNAPEK, E. and ZEITLER, E., Amendment to: Electron Beam Damage to Organic Specimens at Liquid Helium Temperature 511

NUMBER 4, 5 FEBRUARY 1983

OVERBEEKE, N., BERGMANS, H., VAN MANSFELD, F. and LUGTENBERG, B., Complete Nucleotide Sequence of *phoE*, the Structural Gene for the Phosphate Limitation Inducible Outer Membrane Pore Protein of *Escherichia coli* K12 513

SÁNCHEZ, F., TOBIN, S. L., RDEST, U., ZULAUF, E. and MCCARTHY, B. J., Two *Drosophila* Actin Genes in Detail. Gene Structure, Protein Structure and Transcription During Development. 533

MÖLLER, W., SCHRIER, P. I., MAASSEN, J. A., ZANTEMA, A., SCHOP, E., REINALDA, H., CREMERS, A. F. M. and MELLEMA, J. E., Ribosomal Proteins L7/L12 of *Escherichia coli*. Localization and Possible Molecular Mechanism in Translation 553

AKEY, C. W. and EDELSTEIN, S. J., Equivalence of the Projected Structure of Thin Catalase Crystals Preserved for Electron Microscopy by Negative Stain, Glucose or Embedding in the Presence of Tannic Acid . . 575

BRAUN, W., Representation of Short and Long-range Handedness in Protein Structures by Signed Distance Maps 613

Appendix 619

KELLER, R. M., BAUMANN, R., HUNZIKER-KWIK, E.-H., JOUBERT, F. J. and WÜTHRICH, K., Assignment of the ^{1}H Nuclear Magnetic Resonance Spectrum of the Trypsin Inhibitor Homologue K from *Dendroaspis polylepis polylepis*. Two-dimensional Nuclear Magnetic Resonance at 360 and 500 MHz 623

MUELLER, H. and FRANKE, W. W., Biochemical and Immunological Characterization of Desmoplakins I and II, the Major Polypeptides of the Desmosomal Plaque. 647

LETTERS TO THE EDITOR

HANUKOGLU, I., TANESE, N. and FUCHS, E., Complementary DNA Sequence of a Human Cytoplasmic Actin. Interspecies Divergence of 3′ Non-coding Regions 673

OTTONELLO, S., MARAINI, G., MAMMI, M., MONACO, H. L., SPADON, P. and ZANOTTI, G., Crystallization and Preliminary X-ray Data of Human Plasma Retinol-binding Protein 679

SAKURAI, M., TAZAWA, I. and INOUE, Y., Simple Model to Account for the Deoxy- *versus* Ribodimer Stacking Quotient Data. Estimation of Apparent and Intrinsic Equilibrium Quotients for Intramolecular Stacking Association of Purine Deoxy- and Ribodinucleoside Monophosphates 683

ERRATUM 687

Index to Volume 163

Actin, cytoplasmic, human, complementary DNA sequence; interspecies divergence of 3′ non-coding regions, 673

— genes, two, of *Drosophila*, in detail: gene structure, protein structure and transcription during development, 533

Adenovirus DNA (fragments), analysis of expression by microinjection in *Xenopus* oocytes; independent synthesis of minor early region 2 proteins, 209

— early region 2A proteins, structural characterization, 177

Adenoviral late mRNAs, alternative splicing pathways exist in their formation, 239

Akey, C. W. & Edelstein, S. J., Equivalence of the projected structure of thin catalase crystals preserved for electron microscopy by negative stain, glucose or embedding in the presence of tannic acid, 575

Alma, N. C. M., Harmsen, B. J. M., de Jong, E. A. M., Ven, J. V. D. & Hilbers, C. W., Fluorescence studies of the complex formation between the gene *5* protein of bacteriophage M13 and polynucleotides, 47

Asselbergs, F. A. M., Mathews, M. B. & Smart, J. E., Structural characterization of the proteins encoded by adenovirus early region 2A, 177

—, Smart, J. E. & Mathews, M. B., Analysis of expression of adenovirus DNA (fragments) by microinjection in *Xenopus* oocytes. Independent synthesis of minor early region 2 proteins, 209

B-DNA dodecamer, a quantitative study of its ordered water structure, 129

Bacillus licheniformis nucleoids, isolation and characterization; folding of prokaryotic DNA, 277

— *subtilis*, analysis of the 5′-termini of nascent DNA chains synthesized in permeable cells, 147

Bacteriophage λ, the *c*III gene and protein, 505

— M13 gene *5* protein, fluorescence studies of the complex formation with polynucleotides, 47

— P22, DNA-binding properties of the Erf protein, 257

Banfalvi, G. & Sarkar, N., Analysis of the 5′-termini of nascent DNA chains synthesized in permeable cells of *Bacillus subtilis*, 147

Bergmans, H. (see also Overbeeke, N.), 513

β-pleated sheet coiling, 107

Binding, protein–nucleic acid, co-operative, thermodynamics and kinetics; general aspects of analysis of data, 467

—, ——— —, —, — — —; studies on the binding between protamine and calf thymus DNA, 485

Boswinkel, E. (see also Sloof, P.), 277

Braun, W., Representation of short and long-range handedness in protein structures by signed distance maps, 613

Brow, D. A. & Noller, H. F., Protection of ribosomal RNA from kethoxal in polyribosomes. Implication of specific sites in ribosomal function, 27

*c*III gene and protein of bacteriophage λ, 505

Calf thymus DNA binding to protamine; thermodynamics and kinetics of co-operative protein–nucleic acid binding, 485

Calvo, J. M. (see also Searles, L. L.), 377

Carboxypeptidase A catalytic conformation; the structure of a true reaction intermediate stabilized at subzero temperatures, 63

Catalase crystals, thin, equivalence of the projected structure when preserved for electron microscopy by negative stain, glucose or embedding in the presence of tannic acid, 575

Catalytic conformation of carboxypeptidase A. The structure of a true reaction intermediate stabilized at subzero temperatures, 63

Chothia, C., Coiling of β-pleated sheets, 107

Codon coice, synonymous; contextual restraints, 363

Coiling of β-pleated sheets, 107

Complementary DNA sequence of a human cytoplasmic actin; interspecies divergence of 3′ non-coding regions, 673

Conformation, catalytic, of carboxypeptidase A. The structure of a true reaction intermediate stabilized at subzero temperatures, 63

Contextual restraints on synonymous codon choice, 363
CORNELIUS, P. A., HOCHSTRASSER, R. M. & STEELE, A. W., Ultrafast relaxation in picosecond photolysis of nitrosylhemoglobin, 119
CREMERS, A. F. M. (see also MOLLER, W.), 553
Crystallization and preliminary X-ray data of human plasma retinol-binding protein, 679
Curve-fitting, 464
Cytoplasmic actin, human, complementary DNA sequence; interspecies divergence of 3′ non-coding regions, 673

DÉBARBOUILLÉ, M. (see also RAIBAUD, O.), 395
DE JONG, E. A. M. (see also ALMA, N. C. M.), 47
Deletions created *in vitro* are used to map transcriptional regulatory signals in the *malA* region of *Escherichia coli*, 395
Dendroaspis polylepis polylepis, assignment of the ^{1}H n.m.r. spectrum of the trypsin inhibitor homologue K, 623
Deoxy- *versus* ribodimer stacking quotient data, a simple model; estimation of apparent and intrinsic equilibrium quotients for intramolecular stacking association of purine deoxy- and ribodinucleoside monophosphates, 683
DNA, adenovirus, analysis of expression by microinjection in *Xenopus* oocytes; independent synthesis of minor early region 2 proteins, 209
—-binding properties of the Erf protein of bacteriophage P22, 257
—, calf thymus, binding to protamine; thermodynamics and kinetics of co-operative protein–nucleic acid binding, 485
— chains, nascent, synthesized in permeable cells of *Bacillus subtilis*, analysis of the 5′-termini, 147
—, complementary, sequence of a human cytoplasmic actin; interspecies divergence of 3′ non-coding regions, 673
—, prokaryotic, folding; isolation and characterization of nucleoids from *Bacillus licheniformis*, 277
—, ribosomal, of *Drosophila melanogaster* is organized differently from that of *Drosophila hydei*, 499
Desmoplakins I and II, the major polypeptides of the desmosomal plaque, biochemical and immunological characterization, 647
DICKERSON, R. E. (see also KOPKA, M. L.), 129
DIETRICH, I. (see also LEPAULT, J.) 511
DREW, H. R. (see also KOPKA, M. L.), 129
Drosophila actin genes, two, in detail. Gene structure, protein structure and transcription during development, 533
— *hydei* rDNA is organized differently from rDNA of *Drosophila melanogaster*, 499
— *melanogaster* rDNA is organized differently from rDNA of *Drosophila hydei*, 499
DUBOCHET, J. (see also LEPAULT, J.), 511

ECHOLS, H. (see also KNIGHT, D. M.), 505
EDELSTEIN, S. J. (see also AKEY, C. W.), 575
Electron beam damage to organic specimens at liquid helium temperature (amendment), 511
— micrographs, use in three-dimensional reconstruction and averaging of 30 S ribosomal subunits of *Escherichia coli*, 409
— —, — — —— — — — — 50 S ribosomal subunits of *Escherichia coli*, 431
— microscopy of thin catalase crystals, equivalence of the projected structure for preserving by negative stain, glucose or embedding in the presence of tannic acid, 575
Erf protein of bacteriophage P22, DNA-binding properties, 257
Escherichia coli ribosomal proteins L7/L12: localization and possible molecular mechanism in translation, 553
— — 30 S ribosomal subunits, three-dimensional reconstruction and averaging from electron micrographs, 409
— — 50 S ribosomal subunits, three-dimensional reconstruction and averaging from electron micrographs, 431
— — K12, complete nucleotide sequence of *phoE*, the structural gene for the phosphate limitation inducible outer membrane pore protein, 513
— —, use of deletions created *in vitro* to map transcriptional regulatory signals in the *malA* region, 395
Expression of adenovirus DNA (fragments), analysis by microinjection in *Xenopus* oocytes; independent synthesis of minor early region 2 proteins, 209

FENTON, A. C. (see also POTEETE, A. R.), 257
5′-termini of nascent DNA chains synthesized in permeable cells of *Bacillus subtilis*, 147
FITCH, W. M., Random sequences, 171
Fluorescence studies of the complex formation between the gene *5* protein of bacteriophage M13 and polynucleotides, 47
Folding of prokaryotic DNA; isolation and characterization of nucleoids from *Bacillus licheniformis*, 277
FRANKE, W. W. (see also MUELLER, H.), 647
FRATINI, A. V. (see also KOPKA, M. L.), 129
Frog oocytes, SV40 injected, and the post-transcriptional processing of SV40 late transcripts, 1
FUCHS, E. (see also HANUKOGLU, I.), 673
FUKUYAMA, J. M. (see also KUO, L. C.), 63

Gene, *c*III, and protein of bacteriophage λ, 505
— *5* protein of bacteriophage M13, fluorescence studies of the complex formation with polynucleotides, 47
— *phoE* coding for the phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12, complete nucleotide sequence, 513
Genes, actin, two, of *Drosophila*, in detail: gene structure, protein structure and transcription during development, 533
Glucose, negative stain or embedding in the presence of tannic acid, equivalence of the projected structure of thin catalase crystals preserved by different methods for electron microscopy, 575
GURDON, J. B. (see also WICKENS, M. P.), 1

^{1}H nuclear magnetic resonance spectrum of the trypsin inhibitor homologue K from *Dendroaspis polylepis polylepis*, the assignment, 623
Handedness, short and long-range, in protein structures, representation by signed distance maps, 613
HANUKOGLU, I., TANESE, N. & FUCHS, E., Complementary DNA sequence of a human cytoplasmic actin. Interspecies divergence of 3′ non-coding regions, 673
HARMSEN, B. J. M. (see also ALMA, N. C. M.), 47
HAWLEY, R. S. & TARTOF, K. D., The ribosomal DNA of *Drosophila melanogaster* is organized differently from that of *Drosophila hydei*, 499
HEGERL, R. (see also KNAUER, V.), 409
— (see also OETTL, H.), 431
HENDERSON, R. (see also LEIFER, D.), 451
HILBERS, C. W. (see ALMA, N. C. M.), 47
HOCHSTRASSER, R. M. (see also CORNELIUS, P. A.), 119
HOPPE, W. (see also KNAUER, V.), 409
— (see also OETTL, H.), 431
Human plasma retinol-binding protein, crystallization and preliminary X-ray data, 679

Immunological and biochemical characterization of desmoplakins I and II, the major polypeptides of the desmosomal plaque, 647
INOUE, Y. (see also SAKURAI, M.) 683
Interspecies divergence of 3′ non-coding regions; complementary DNA sequence of a human cytoplasmic actin, 673

JAMES, M. N. G. & SIELECKI, A. R., Structure and refinement of penicillopepsin at 1·8 Å resolution, 299

Kethoxal and the protection of ribosomal RNA in polyribosomes; implication of specific sites in ribosome function, 27
KNAPEK, E. (see also LEPAULT, J.), 511
KNAUER, V., HEGERL, R. & HOPPE, W., Three-dimensional reconstruction and averaging of 30 S ribosomal subunits of *Escherichia coli* from electron micrographs, 409
KNIGHT, D. M. & ECHOLS, H., The *c*III gene and protein of bacteriophage λ, 505
KOPKA, M. L., FRATINI, A. V., DREW, H. R. & DICKERSON, R. E., Ordered water structure around a *B*-DNA dodecamer. A quantitative study, 129
KUO, L. C., FUKUYAMA, J. M. & MAKINEN, M. W., Catalytic conformation of carboxypeptidase A. The structure of a true reaction intermediate stabilized at subzero temperatures, 63

λ (see also Bacteriophage), 505
L7/L12 ribosomal proteins of *Escherichia coli*. Localization and possible molecular mechanism in translation, 553
LEIFER, D. & HENDERSON, R., Three-dimensional structure of orthorhombic purple membrane at 6·5 Å resolution, 451
LEPAULT, J., DUBOCHET, J., DIETRICH, I., KNAPEK, E. & ZEITLER, E., Amendment to: electron beam damage to organic specimens at liquid helium temperature, 511
leu operon of *Salmonella typhimurium*: the major mechanism of control is transcription attenuation, 377
LIPMAN, D. J. & WILBUR, W. J., Contextual constraints on synonymous codon choice, 363
Liquid helium temperature microscopy, electron beam damage to organic specimens (amendment), 511
LUGTENBERG, B. (see also OVERBEEKE, N.), 513

M13 (see also Bacteriophage), 47
MAAGDELIJN, A. (see also SLOOF, P.), 277
MAASSEN, J. A. (see also MÖLLER, W.), 553
MCCARTHY, B. J. (see also SÁNCHEZ, F.), 533
MAKINEN, M. W. (see also KUO, L. C.), 63
malA region of *Escherichia coli*, use of deletions created *in vitro* to map transcriptional regulatory signals, 395
MAMMI, M. (see also OTTONELLO, S.), 679
Mapping of transcriptional regulatory signals in the *malA* region of *Escherichia coli* by use of deletions created *in vitro*, 395
Maps, signed distance, and the representation of short and long-range handedness in protein structures, 613
MARAINI, G. (see also OTTONELLO, S.), 679
MARIMAN, E. C. M., VAN BEEK-REINDERS, R. J. & VAN VENROOIJ, W. J., Alternative splicing pathways exist in the formation of adenoviral late messenger RNAs, 239
MATHEWS, M. B. (see aslo ASELBERGS, F. A. M.), 177, 209
MELLEMA, J. E. (see also MÖLLER, W.), 553
Messenger RNAs, late, adenoviral, alternative splicing pathways exist in their formation, 239
MÖLLER, W., SCHRIER, P. I., MAASSEN, J. A., ZANTEMA, A., SCHOP, E., REINALDA, H., CREMERS, A. F. M. & MELLEMA, J. E., Ribosomal proteins L7/L12 of *Escherichia coli*. Localization and possible molecular mechanism in translation, 553
MONACO, H. L. (see also OTTONELLO, S.), 679
MUELLER, H. & FRANKE, W. W., Biochemical and immunological characterization of desmoplakins I and II, the major polypeptides of the desmosomal plaque, 647

Nascent DNA chains synthesized in permeable cells of *Bacillus subtilis*, analysis of the 5′-termini, 147
Negative stain, glucose or embedding in the presence of tannic acid, equivalence of the projected structure of thin catalase crystals preserved by different methods for electron microscopy, 575
Nitrosylhemoglobin, ultrafast relaxation in picosecond photolysis, 119
NOLLER, H. F. (see also BROW, D. A.), 27
Nucleic acid–protein binding, co-operative, thermodynamics and kinetics; general aspects of analysis of data, 467
———, —, ———; studies on the binding between protamine and calf thymus DNA, 485
Nucleoids from *Bacillus licheniformis*, isolation and characterization; folding of prokaryotic DNA, 277
Nucleotide sequence, complete, of *phoE*, the structural gene for the phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12, 513

OETTL, H., HEGERL, R. & HOPPE, W., Three-dimensional reconstruction and averaging of 50 S ribosomal subunits of *Escherichia coli* from electron micrographs 431
Oocytes, frog, SV40 injected, and the post-transcriptional processing of SV40 late transcripts, 1
—, *Xenopus*, and analysis of expression of adenovirus DNA (fragments) by microinjection; independent synthesis of minor early region 2 proteins, 209
OTTONELLO, S., MARAINI, G., MAMMI, M., MONACO, H. L., SPADON, P. & ZANOTTI, G., Crystallization and preliminary X-ray data of human plasma retinol-binding protein, 679
OVERBEEKE, N., BERGMANS, H., VAN MANSFELD, F. & LUGTENBERG, B., Complete nucleotide sequence of *phoE*, the structural gene for the phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12, 513

P22 (see also Bacteriophage), 257
Penicillopepsin, structure and refinement at 1·8 Å resolution, 299
phoE, the structural gene for the phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12, the complete nucleotide sequence, 513
Phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12. complete nucleotide sequence of the coding structural gene *phoE*, 513
Photolysis, picosecond, of nitrosylhemoglobin, 119
Picosecond photolysis of nitrosylhemoglobin, 119
Plaque, desmosomal, biochemical and immunological characterization of the major polypeptides desmoplakins I and II, 647
Polynucleotides, fluorescence studies of the complex formation with gene *5* protein of bacteriophage M13, 47
Poteete, A. R. & Fenton, A. C., DNA-binding properties of the Erf protein of bacteriophage P22, 257
Processing, post-transcriptional, of simian virus 40 late transcripts in injected frog oocytes, 1
Prokaryotic DNA folding: isolation and characterization of nucleoids from *Bacillus licheniformis*, 277
Protamine binding to calf thymus DNA; thermodynamics and kinetics of co-operative protein–nucleic acid binding, 485
Protein structures, representation of short and long-range handedness by signed distance maps, 613
Protein–nucleic acid binding, co-operative, thermodynamics and kinetics; general aspects of analysis of data, 467
——, ——, ——; studies on the binding between protamine and calf thymus DNA, 485
Proteins, early region 2, minor, independent synthesis: analysis of expression of adenovirus DNA (fragments) by microinjection in *Xenopus* oocytes, 209
— encoded by adenovirus early region 2A, structural characterization, 177
Purple membrane, orthorhombic, three-dimensional structure at 6·5 Å resolution, 451

Raibaud, O., Débarbouillé, M. & Schwartz, M., Use of deletions created *in vitro* to map transcriptional regulatory signals in the *malA* region of *Escherichia coli*, 395
Random sequences, 171
Rdest, U. (see also Sánchez, F.), 533
Reconstruction, three-dimensional, and averaging of 30 S ribosomal subunits of *Escherichia coli* from electron micrographs, 409
—, ——, —— 50 S ribosomal subunits of *Escherichia coli* from electron micrographs, 431
Reinalda, H. (see also Möller, W.), 553
Relaxation, ultrafast, in picosecond photolysis of nitrosylhemoglobin, 119
Retinol-binding protein, plasma, human, crystallization and preliminary X-ray data, 679
RNA, ribosomal, protection from kethoxal in polyribosomes: implication of specific sites in ribosomal function, 27
Ribo- *versus* deoxydimer stacking quotient data, a simple model; estimation of apparent and intrinsic equilibrium quotients for intramolecular stacking association of purine deoxy- and ribodinucleoside monophosphates, 683
Ribosomal DNA of *Drosophila melanogaster* is organized differently from that of *Drosophila hydei*, 499
— proteins L7/L12 of *Escherichia coli*. Localization and possible molecular mechanism in translation, 553
— RNA, protection from kethoxal in polyribosomes: implication of specific sites in ribosome function, 27
— subunits, 30 S, of *Escherichia coli*, three-dimensional reconstruction and averaging from electron micrographs, 409
— —, 50 S, of *Escherichia coli*, three-dimensional reconstruction and averaging from electron micrographs, 431

Sakurai, M., Tazawa, I. & Inoue, Y., Simple model to account for the deoxy- *versus* ribodimer stacking quotient data. Estimation of apparent and intrinsic equilibrium quotients for intramolecular stacking association of purine deoxy- and ribodinucleoside monophosphates, 683
Salmonella typhimurium leu operon expression is controlled mainly by transcription attenuation, 377
Sánchez, F., Tobin, S. L., Rdest, U., Zulauf, E. & McMarthy, B. J., Two *Drosophila* actin genes in detail. Gene structure, protein structure and transcription during development, 533
Sarkar, N. (see also Banfalvi, G.) 147
Schop, E. (see also Möller, W.), 553
Schrier, P. I. (see also Möller, W.), 553

Schwartz, M. (see also Raibaud, O.), 395
Schwarz, G. & Watanabe, F., Thermodynamics and kinetics of co-operative protein nucleic acid binding. I. General aspects of analysis of data, 467
Schwarz, G. (see also Watanabe, F.), 485
Searles, L. L., Wessler, S. R. & Calvo, J. M., Transcription attenuation is the major mechanism by which the *leu* operon of *Salmonella typhimurium* is controlled, 377
Sequence, complementary DNA, of a human cytoplasmic actin: interspecies divergence of 3′ non-coding regions, 673
—, nucleotide, complete, of *phoE*, the structural gene for the phosphate limitation inducible outer membrane pore protein of *Escherichia coli* K12, 513
Sequences, random, 171
Sielecki, A. R. (see also James, M. N. G.), 299
Signed distance maps and the representation of short and long-range handedness in protein structures. 613
Simian virus 40 (see also Virus), 1
Sloof, P., Maagdelijn, A. & Boswinkel, E., Folding of prokaryotic DNA. Isolation and characterization of nucleoids from *Bacillus licheniformis*, 277
Smart, J. E. (see also Asselbergs, F. A. M.), 177, 209
Spadon, P. (see also Ottonello, S.), 679
Splicing pathways, alternative, exist in the formation of adenoviral late mRNAs, 239
Stacking equilibrium quotients of purine deoxy- and ribodinucleoside monophosphates: a simple model, 683
Steele, A. W. (see also Cornelius, P. A.), 119
Structural characterization of the proteins encoded by adenovirus early region 2A, 177
Structure of two *Drosophila* actin genes in detail, 533
—, projected, of thin catalase crystals, equivalence when preserved for electron microscopy by negative stain, glucose or embedding in the presence of tannic acid, 575
— of proteins, representation of short and long-range handedness by signed distance maps. 613
— and refinement of penicillopepsin at 1·8 Å resolution, 299
— of ribosomes: three-dimensional reconstruction and averaging of 30 S ribosomal subunits of *Escherichia coli* from electron micrographs, 409
— — —: — — — — — — 50 S ribosomal subunits of *Escherichia coli* from electron micrographs, 431
—, three-dimensional, of orthorhombic purple membrane at 6·5 Å resolution, 451
—, water, ordered, around a *B*-DNA dodecamer; a quantitative study, 129
Synonymous codon choice, contextual restraints, 363

Tanese, N. (see also Hanukoglu, I.), 673
Tannic acid embedding, negative stain or glucose, equivalence of the projected structure of thin catalase crystals preserved by different methods for electron microscopy, 575
Tartof, K. D. (see also Hawley, R. S.), 499
Tazawa, I. (see also Sakurai, M.), 683
Thermodynamics and kinetics of co-operative protein–nucleic acid binding. I. General aspects of analysis of data, 467
— — — — — — — — —. II. Studies on the binding between protamine and calf thymus DNA, 485
3′ non-coding region interspecies divergence; complementary DNA sequence of a human cytoplasmic actin, 673
Tobin, S. L. (see also Sánchez, F.), 533
Transcription attenuation is the major mechanism by which the *leu* operon of *Salmonella typhimurium* is controlled, 377
— during development, gene structure and protein structure; two *Drosophila* actin genes in detail. 533
Transcriptional regulatory signals in the *malA* region of *Escherichia coli*, mapping by the use of deletions created *in vitro*, 395
Transcripts, late, SV40, post-transcriptional processing in injected frog oocytes, 1
Translation and proteins L7/L12 of *Escherichia coli*, localization and possible molecular mechanism, 553
Trypsin inhibitor homologue K from *Dendroaspis polylepis polylepis*, assignment of the ^{1}H n.m.r. spectrum, 623

van Beek-Reinders, R. J. (see also Mariman, E. C. M.), 239
van Mansfeld, F. (see also Overbeeke, N.), 513
van Venrooij, W. J. (see also Mariman, E. C. M.), 239

VEN, J. V. D. (see also ALMA, N. C. M.), 47
Virus, SV40, late transcripts, post-transcriptional processing in injected frog oocytes, 1

WATANABE, F. & SCHWARZ, G., Thermodynamics and kinetics of co-operative protein–nucleic acid binding. II. Studies on the binding between protamine and calf thymus DNA, 485
— — (see also SCHWARZ, G.), 467
Water structure, ordered, around a *B*-DNA dodecamer; a quantitative study, 129
WESSLER, S. R. (see also SEARLES, L. L.), 377
WICKENS, M. P. & GURDON, J. B., Post-transcriptional processing of simian virus 40 late transcripts in injected frog oocytes, 1
WILBUR, W. J. (see also LIPMAN, D. J.), 363

Xenopus oocytes, analysis of expression of adenovirus DNA (fragments) by microinjection; independent synthesis of minor early region 2 proteins, 209
X-ray data, preliminary, and crystallization, of human plasma retinol-binding protein, 679

ZANOTTI, G. (see also OTTONELLO, S.), 679
ZANTEMA, A. (see also MÖLLER, W.), 553
ZEITLER, E. (see also LEPAULT, J.), 511
ZULAUF, E. (see also SÁNCHEZ, F.), 533